

### DM-730

Order No. 1000614



**Dynamic microphone**, for vocals (PA, stage, DJ).

- Supercardioid polar pattern
- Neodymium version
- Frequency range: 50-18,000 Hz
- Diecast zinc body
- Supplied with microphone holder, 9 mm (3/8") adapter screw and microphone bag

Model	DM-730
Polar pattern	supercardioid
System	dynamic, neodymium
Audio frequency range	50-18,000 Hz
Nominal impedance	300 Ω
Sensitivity	2.3 mV/Pa
Housing material	diecast zinc
Dimensions	Ø 48 mm x 182 mm
Weight	290 g
Connection	XLR, bal.



### DM-730S

Order No. 1000615



**Dynamic microphone**, for vocals (PA, stage, DJ).

- Supercardioid polar pattern
- Neodymium version
- Frequency range: 50-18,000 Hz
- Slide potentiometer
- Diecast zinc body
- Supplied with microphone holder, 9 mm (3/8") adapter screw and microphone bag

Model	DM-730S
Polar pattern	supercardioid
System	dynamic, neodymium
Audio frequency range	50-18,000 Hz
Nominal impedance	300 Ω
Sensitivity	2.3 mV/Pa
Housing material	diecast zinc
Dimensions	Ø 48 mm x 182 mm
Weight	279 g
Connection	XLR, bal.



### SONIDO

Order No. 1000599



**Bluetooth stereo headset**

- For universal use
- Bluetooth version V5.0, 2.4 GHz, operating range: 10 m
- Wired operation also possible
- Built-in microphone
- Closed system
- Padded ear cushions and headrest
- Accessories include a transport case, 1.3 m connection cable (2 x 3.5 mm plug), 0.6 m charging cable (USB Type-A to micro USB)

Model	SONIDO
Transmission method	Bluetooth
Transmission range, headphones	20-20,000 Hz
Nominal impedance, headphones	32 Ω
Headphone sensitivity	108 dB/mW
Power supply	built-in 3.7 V rech. Li-ion polymer battery 400 mAh charging time: approx. 2 hours Standby time: approx. 60 hours Call time: approx. 15 hours Music time: approx. 15 hours
Cable	1.3 m connection cable (3.5 mm/3.5 mm) 0.6 m charging cable (USB Type-A/ micro USB)
Weight w/o cable	240 g

